

COOL AKRYLFÄRG 100%

Article

Brand: Color

Name: COOL AKRYLFÄRG 100%

Description: Akrylfärg



Article number:

BSAB-code: LC Målning m m

BK04-code: 03404 Wall and ceiling paints, indoors

Manufacturer/Supplier

Name: Nevena Color

Environmental management system: -

ISO 14001 certification: -

EMAS registration: -


FTI recycling system : -

Summary

Conditions: Documentation incomplete, product assessment possible

Assessment: B

Remark: Ofulsständig dokumentation på grund av dolt innehåll.




	During the manufacturing phase	In the finished product
Phase-out substances:	-	-
Priority risk-reduction substances:	Yes (R)	Yes R
PBT/vPvB-Substances:	-	-
Potential PBT/vPvB Substances:	-	-
Endocrine Disrupting Substances Category 1:	Yes (H1)	-
Endocrine Disrupting Substances Category 2:	-	-
Environmentally Hostile Substances:	Yes (H)	Yes H
Substances hazardous to health:	Yes H	Yes H

Substances hazardous to health present in the product in the usage phase: -

Other Eco-Labels:

Energy class:

Renewable raw materials:**Warnings:****Nanoparticles:**  The presence of nanoparticles is unknown**Contents**

Name	CAS No	Amount	Classifications
Confidential *		<0.1 %	H302, H315, H318
Confidential *		<1 %	
Confidential *		≤60 %	
Confidential *	R	<0.0015 %	H301, H311, H314, H317, H331, H400, H410
Confidential *		<0.0125 %	H271, H315, H319, H335
Confidential *		<10 %	H412
Confidential *		<2 %	
Confidential *		≤15 %	
(Contents) *			H226, H302, H312, H314, H332, H400
(Contents) *	R H1	<6 %	H226, H315, H319, H332, H361d, H372
Confidential *		<5 %	H319
Confidential *		<10 %	
Confidential *		<2 %	

Emissions**VOC:** 30 g/L**TVOC:****TVOC 4:****TVOC 26:****Formaldehyde:****E1 implemented status:****Pictogram**

Pictogram unavailable

Residual products / Waste

	During construction	During demolition
Reutilization:		
Material recycling:		
Energy recovery:		
Landfill deposition:		

	During construction	During demolition
Waste disposal:	08 01 11	
Toxic waste:	Yes	-

Classification of the product

Hazard Statements:

- H302** Harmful if swallowed.
- H315** Causes skin irritation.
- H318** Causes serious eye damage.
- EUH208** Contains [substance specified in the safety data sheet]. May produce an allergic reaction.

Precautionary statements:

Risk phrases:

Safety phrases:

Energy consumption

Raw materials:

Manufacturing:

Total:

Proportion of recycled material

Pre-consumer:

Post-consumer:

Service life

Service life: 50- år

Corporate Social Responsibility (CSR)

CSR-policy:

Reported documentation

[Suggest a new document type](#)

Type	Issue	Control	Status
Safety Data Sheet	11/28/2016	12/22/2016	Manual
Safety Data Sheet	2/22/2013	1/5/2017	Static
Building Product Declaration 3	11/17/2016	12/22/2016	Manual
Miscellaneous	12/16/2016	12/22/2016	Manual
Miscellaneous		12/22/2016	Manual
Internal Document		12/22/2016	Manual

Other

Assessed: 2016-12-22 by Åsa Rahm

Revised:

SHMD-number: SHMD-SFHRLR1QJU