


COOL THINNER 3 I 1

Article

Brand: Color

Name: COOL THINNER 3 I 1

Description: Färgförtunning



Article number:

BK04-code: 03409 Chemico-technical paint accessories

Manufacturer/Supplier

Name: Nevena Color

Environmental management system: -

ISO 14001 certification: -

EMAS registration: -

FTI recycling system : -

Summary

Conditions: Documentation complete, product assessment possible

Assessment: G

Remark:

	During the manufacturing phase	In the finished product
Phase-out substances:	-	-
Priority risk-reduction substances:	Yes (R)	Yes R
PBT/vPvB-Substances:	-	-
Potential PBT/vPvB Substances:	-	-
Endocrine Disrupting Substances Category 1:	-	-
Endocrine Disrupting Substances Category 2:	-	-
Environmentally Hostile Substances:	Yes (R)	Yes R
Substances hazardous to health:	Yes (R)	Yes R

Substances hazardous to health present in the product in the usage phase: -


Other Eco-Labels:

Energy class:

Renewable raw materials:

Warnings:

Nanoparticles:

 The presence of nanoparticles is unknown

Contents

Name	CAS No	Amount	Classifications
naphtha (petroleum), hydrodesulfurized heavy	R 64742-82-1	≤30 %	H226, H304, H336, H372, H411, EUH066
benzene, dimethyl-	1330-20-7	≤80 %	H226, H312, H315, H332

Emissions

VOC: 500 g/L

TVOC:

TVOC 4:

TVOC 26:

Formaldehyde:

E1 implemented status:

Pictogram**Residual products / Waste**

	During construction	During demolition
Reutilization:		
Material recycling:		
Energy recovery:		
Landfill deposition:		
Waste disposal:	07 01 04	
Toxic waste:	Yes	-

Classification of the product

Hazard Statements:	<p>H226 Flammable liquid and vapour. H304 May be fatal if swallowed and enters airways. H312 Harmful in contact with skin. H315 Causes skin irritation. H332 Harmful if inhaled. H372 Causes damage to organs through prolonged or repeated exposure. H411 Toxic to aquatic life with long lasting effects.</p>
---------------------------	--

Precautionary statements:

P101 If medical advice is needed, have product container or label at hand

P102 Keep out of reach of children.

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P301+310 IF SWALLOWED: Immediately call a POISON CENTER/doctor/...

P308+313 IF exposed or concerned: Get medical advice/attention.

P331 Do NOT induce vomiting.

Risk phrases:

Safety phrases:

Energy consumption

Raw materials:

Manufacturing:

Total:

Proportion of recycled material

Pre-consumer:

Post-consumer:

Service life







Service life:

Corporate Social Responsibility (CSR)

CSR-policy:

Reported documentation

[Suggest a new document type](#)

Type	Issue	Control	Status		
 Safety Data Sheet 	11/28/2016	12/6/2016	Manual	Update	
 Building Product Declaration 3 	11/16/2016	12/6/2016	Manual	Update	

Other

Assessed: 2016-12-19 by Åsa Rahm

Revised:


SHMD-number: SHMD-SFG4R1HJ3

Criteria: SundaHus Material Data Assessment Criteria edition 6.1.2

 SundaHus Material Datasheet 

 Report errors

Historical assessment (1)

SHMD-number	Assessed	Revised	Assessment
SHMD-SFG4R1HJ3	2016-12-19		 - - -